

*Full Dimensions on Page 3

Trident Vertical UK PDU's

Key Features

- Vertical UK 13A outlets
- Tough aluminium extrusion
- Shrouded switch with switch cover
- C14, C20, or 16A plug options
- 3-metre 1.5mm lead

Category: Power

Part No: See Page 2

General Description:

Vertical UK PDUs are widely used to accommodate cabinets where a higher number of UK sockets are needed, but rack space is also at a premium. Being mounted at the back of the cabinet means that the PDU maintains a '0U' profile, allowing the rest of the cabinet to be populated with critical hardware.

Specification:

Technical:	PDU Max Power: 3250w Output Rating: 13A Overall Rating: 32A Input Frequency: 50/60MHz Acceptable Input Voltage: 250VAC					
Shipping Dimensions:	Shipping Length: 666 - 1420mm Shipping Width: 150mmmm Shipping Depth: 75mm Shipping Weight:					
	6-way 1.32kg	8-way 1.54kg	10-way 1.76kg	12-way 1.98kg	16-way 2.20kg	20-way 2.42kg


Part Numbers

TRI-000555	6 Way UK Vertical PDU, 13A UK Plug
TRI-000848	6 Way UK Vertical PDU, 16A Commando Plug
TRI-200130	6 Way UK Vertical PDU, IEC C14 Plug
TRI-200897	6 Way UK Vertical PDU, IEC C20 Plug

Part Numbers

TRI-000368	8 Way UK Vertical PDU, 13A UK Plug
TRI-200123	8 Way UK Vertical PDU, 16A Commando Plug
TRI-200131	8 Way UK Vertical PDU, IEC C14 Plug
TRI-200135	8 Way UK Vertical PDU, IEC C20 Plug

Part Numbers

TRI-000995	10 Way UK Vertical PDU, 13A UK Plug
TRI-200899	10 Way UK Vertical PDU, 16A Commando Plug
TRI-200900	10 Way UK Vertical PDU, IEC C14 Plug
TRI-200901	10 Way UK Vertical PDU, IEC C20 Plug

Part Numbers


TRI-000536	12 Way UK Vertical PDU, 13A UK Plug
TRI-200903	12 Way UK Vertical PDU, 16A Commando Plug
TRI-200904	12 Way UK Vertical PDU, IEC C14 Plug
TRI-200905	12 Way UK Vertical PDU, IEC C20 Plug

Part Numbers

TRI-200907	16 Way UK Vertical PDU, 13A UK Plug
TRI-200908	16 Way UK Vertical PDU, 16A Commando Plug
TRI-200909	16 Way UK Vertical PDU, IEC C14 Plug
TRI-200910	16 Way UK Vertical PDU, IEC C20 Plug

Part Numbers

TRI-200911	20 Way UK Vertical PDU, 13A UK Plug
TRI-200912	20 Way UK Vertical PDU, 16A Commando Plug
TRI-200913	20 Way UK Vertical PDU, IEC C14 Plug
TRI-200914	20 Way UK Vertical PDU, IEC C20 Plug



Dimensions:

	Ear to Ear (Centre)	Ear to Ear (End)	Box Length	Depth	Width
6-Way	493.8mm	514.8mm	463.2mm	45.0mm	62.0mm
8-Way	613.2mm	634.2mm	582.6mm	45.0mm	62.0mm
10-Way	732.6mm	753.6mm	702.0mm	45.0mm	62.0mm
12-Way	852.0mm	873.0mm	821.4mm	45.0mm	62.0mm
16-Way	1090.8mm	1111.8mm	1060.2mm	45.0mm	62.0mm
20-Way	1329.6mm	1350.6mm	1299.0mm	45.0mm	62.0mm