




16a Commando Plug:



IEC C14 Plug:



IEC C20 Plug:



*Full Dimensions on Page 3

Trident Vertical IEC PDU's

Key Features

- Vertical IEC C13 10A outlets
- Tough aluminium extrusion
- Shrouded switch with switch cover
- C14, C20, or 16A options
- 3-metre 1.5mm lead

Category: Power
Part No: See Page 2

General Description:

Vertical IEC PDUs are widely used to accommodate cabinets where a higher number of IEC sockets are needed, but rack space is also at a premium. Being mounted at the back of the cabinet means that the PDU maintains a '0U' profile, allowing the rest of the cabinet to be populated with critical hardware.

Specification:

Technical:	PDU Max Power: 3250w Output Rating: 10A Overall Rating: 32A Input Frequency: 50/60MHz Acceptable Input Voltage: 250VAC							
Shipping Dimensions:	Shipping Length: (mm)	520.00	570.80	621.60	672.40	723.20	774.00	825.00
	Shipping Width: 150mm Shipping Depth: 70mm Shipping Weight:	6-way 1.32kg	8-way 1.54kg	10-way 1.76kg	12-way 1.98kg	16-way 2.2kg	20-way 1.75kg	24-way 1.85kg

Page 1 of 3



Part Numbers

TRI-TBC	6 Way Vertical IEC PDU, 13A UK Plug
TRI-TBC	6 Way Vertical IEC PDU, 16A Commando Plug
TRI-TBC	6 Way Vertical IEC PDU, IEC C14 Plug
TRI-TBC	6 Way Vertical IEC PDU, IEC C20 Plug

Part Numbers

TRI-TBC	8 Way Vertical IEC PDU, 13A UK Plug
TRI-TBC	8 Way Vertical IEC PDU, 16A Commando Plug
TRI-TBC	8 Way Vertical IEC PDU, IEC C14 Plug
TRI-TBC	8 Way Vertical IEC PDU, IEC C20 Plug

Part Numbers

TRI-TBC	10 Way Vertical IEC PDU, 13A UK Plug
TRI-TBC	10 Way Vertical IEC PDU, 16A Commando Plug
TRI-TBC	10 Way Vertical IEC PDU, IEC C14 Plug
TRI-TBC	10 Way Vertical IEC PDU, IEC C20 Plug

Part Numbers

TRI-TBC	12 Way Vertical IEC PDU, 13A UK Plug
TRI-TBC	12 Way Vertical IEC PDU, 16A Commando Plug
TRI-TBC	12 Way Vertical IEC PDU, IEC C14 Plug
TRI-TBC	12 Way Vertical IEC PDU, IEC C20 Plug

Part Numbers


TRI-TBC	16 Way Vertical IEC PDU, 13A UK Plug
TRI-TBC	16 Way Vertical IEC PDU, 16A Commando Plug
TRI-TBC	16 Way Vertical IEC PDU, IEC C14 Plug
TRI-TBC	16 Way Vertical IEC PDU, IEC C20 Plug

Part Numbers

TRI-TBC	20 Way Vertical IEC PDU, 13A UK Plug
TRI-TBC	20 Way Vertical IEC PDU, 16A Commando Plug
TRI-TBC	20 Way Vertical IEC PDU, IEC C14 Plug
TRI-TBC	20 Way Vertical IEC PDU, IEC C20 Plug

Part Numbers

TRI-TBC	24 Way Vertical IEC PDU, 13A UK Plug
TRI-TBC	24 Way Vertical IEC PDU, 16A Commando Plug
TRI-TBC	24 Way Vertical IEC PDU, IEC C14 Plug
TRI-TBC	24 Way Vertical IEC PDU, IEC C20 Plug



Dimensions:

	Ear to Ear (Centre)	Ear to Ear (End)	Box Length	Depth	Width
6-Way	461.6mm	482.6mm	431.0mm	45.0mm	62.0mm
8-Way	461.6mm	482.6mm	431.0mm	45.0mm	62.0mm
10-Way	461.6mm	482.6mm	431.0mm	45.0mm	62.0mm
12-Way	461.6mm	482.6mm	431.0mm	45.0mm	62.0mm
16-Way	543.6mm	564.6mm	513.0mm	45.0mm	62.0mm
20-Way	645.6mm	666.6mm	615.0mm	45.0mm	62.0mm
24-Way	747.6mm	768.6mm	717.0mm	45.0mm	62.0mm