





16a Commando Plug:



IEC C14 Plug:



IEC C20 Plug:



*Full Dimensions on Page 3

Trident Horizontal IEC PDU's

Key Features

- Horizontal IEC C13 10A outlets
- Tough 1.5U aluminium extrusion
- Shrouded switch with switch cover
- C14, C20, or 16A options
- 3-metre 1.5mm lead

Category: Power

Part No: See Page 2

General Description:

Horizontal IEC PDUs are a popular unit when it comes to power distribution, as they allow a higher density of power sockets, to distribute power from one easy location in the rack. The cable exits the unit at the rear, making mounting of the PDU easier, whilst taking up only 1.5U of vital rack space.

Specification:

Technical:	PDU Max Power: 3250w Output Rating: 10A Overall Rating: 16A Input Frequency: 50/60MHz Acceptable Input Voltage: 250VAC				
Shipping Dimensions:	Shipping Length: 520mm Shipping Width: 132mm Shipping Depth: 75mm Shipping Weight:	6-Way 1.30kg	8-Way 1.35kg	10-way 1.38kg	12-way 1.4kg


Part Numbers

TRI-TBC	6 Way IEC Horizontal PDU, 13A UK Plug
TRI-TBC	6 Way IEC Horizontal PDU, 16A Commando Plug
TRI-TBC	6 Way IEC Horizontal PDU, IEC C14 Plug
TRI-TBC	6 Way IEC Horizontal PDU, IEC C20 Plug

Part Numbers


TRI-TBC	8 Way IEC Horizontal PDU, 13A UK Plug
TRI-TBC	8 Way IEC Horizontal PDU, 16A Commando Plug
TRI-TBC	8 Way IEC Horizontal PDU, IEC C14 Plug
TRI-TBC	8 Way IEC Horizontal PDU, IEC C20 Plug

Part Numbers

TRI-TBC	10 Way IEC Horizontal PDU, 13A UK Plug
TRI-TBC	10 Way IEC Horizontal PDU, 16A Commando Plug
TRI-TBC	10 Way IEC Horizontal PDU, IEC C14 Plug
TRI-TBC	10 Way IEC Horizontal PDU, IEC C20 Plug

Part Numbers

TRI-TBC	12 Way IEC Horizontal PDU, 13A UK Plug
TRI-TBC	12 Way IEC Horizontal PDU, 16A Commando Plug
TRI-TBC	12 Way IEC Horizontal PDU, IEC C14 Plug
TRI-TBC	12 Way IEC Horizontal PDU, IEC C20 Plug


Dimensions:

	Centre of Ear to Ear	End of Ear to Ear	Box Length	Depth	Width
6-Way	482.6mm	461.6mm	431.0mm	45.0mm	62.0mm
8-Way	482.6mm	461.6mm	431.0mm	45.0mm	62.0mm
10-Way	482.6mm	461.6mm	431.0mm	45.0mm	62.0mm
12-Way	482.6mm	461.6mm	431.0mm	45.0mm	62.0mm